

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	36733	(document with (retriev\$5 or fetch\$5 or download\$5 or access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:44
L5	6475	4 and ((input\$5 or enter\$5) with (password or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L6	2638	4 and ((input\$5 or enter\$5) with (password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:40
L7	4	6 and (approv\$5 with password with (right or correct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L8	1306	4 and ((input\$5 or enter\$5) with document with (password or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L9	1	6 and (approv\$5 with document with password with (right or correct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L10	1	6 and (approv\$5 with document with (code or password) with (right or correct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:44
L11	1818	remot\$5 with (document with (retriev\$5 or fetch\$5 or download\$5 or access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:15
L12	16	11 and (input\$5 with image with (password or code) with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:02
L13	0	12 and (approv\$5 with (password or code) with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:03
L14	0	12 and (approv\$5 with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:02

L15	108	11 and (approv\$5 with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:02
L16	4	15 and (approv\$5 with (password or code) with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:06
L17	2	11 and (input\$5 with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:07
L18	28	11 and ((scan\$5 or read\$5) with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:15
L19	5975	(network or remot\$5) with (document with (retriev\$5 or fetch\$5 or download\$5 or access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:26
L20	36	19 and ((scan\$5 or read\$5) with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:17
L21	17	19 and ((receiv\$5) with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:20
L22	3	19 and ((receiv\$5) with version with number with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:26
L23	2596	(network or remot\$5) with (document with (manag\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:26
L24	3	23 and ((receiv\$5) with version with number with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	2	"6628412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:11
S4	17089	(document with (manager or management or managing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:51
S5	2	S4 and (input\$5 with (image) with ((version or edition or revision) near3 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:13
S6	27	S4 and (input\$5 with ((version or edition or revision) near3 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:14
S7	0	S6 and (output\$5 with ((latest or newest or highest) near3 (version or edition or revision) near3 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:14
S8	3	S6 and (((latest or newest or highest) near3 (version or edition or revision) near3 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:17
S9	0	S6 and ((retriev\$5 or search\$5 or find\$5 or output\$5) with ((latest or newest or highest) near3 (version or edition or revision) near3 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:17
S10	3	S4 and ((retriev\$5 or search\$5 or find\$5 or output\$5) with ((latest or newest or highest) near3 (version or edition or revision) near3 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:19
S11	9	S4 and ((retriev\$5 or search\$5 or find\$5 or output\$5) with ((latest or newest or highest) near3 (version or edition or revision) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:47
S12	1	"5930801".pn. and (user with retriev\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:44
S13	1	"5930801".pn. and (user with version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:45

S14	1	"5930801".pn. and (version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:45
S15	5	S4 and ((input\$5) with ((latest or newest or highest) near3 (version or edition or revision) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:47
S16	55022	((file or document) with (manager or management or managing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:47
S17	22	S16 and ((retriev\$5 or search\$5 or find\$5 or output\$5) with ((latest or newest or highest) near3 (version or edition or revision) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:47
S18	6	S17 and ((input\$5) with ((latest or newest or highest) near3 (version or edition or revision) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:49
S19	9	S16 and ((input\$5) with ((latest or newest or highest) near3 (version or edition or revision) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:51
S20	18504	(document with (retriev\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:51
S21	21959	(document with (retriev\$5 or fetch\$5 or download\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:57
S22	1	S21 and ((input\$5) with ((latest or newest or highest) near3 (version or edition or revision) with number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 10:52
S23	29	S21 and ((input\$5) with (version or edition or revision) with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:23
S24	1	"5991782".pn. and (input\$5 with version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:24

S25	0	"5991782".pn. and (input\$5 with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:24
S26	0	"5991782".pn. and (input\$5 same image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:24
S27	1	"5991782".pn. and (input\$5 with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:24
S28	2	"5991782".pn. and (version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:25
S29	0	"5991782".pn. and ((retriev\$5 or fetch\$5) with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:25
S30	1	"5991782".pn. and ((retriev\$5 or fetch\$5) with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:25
S31	36733	(document with (retriev\$5 or fetch\$5 or download\$5 or access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:58
S32	1	S31 and (input\$5 near4 section with (version near5 number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 11:59
S33	291	S31 and (input\$5 near4 section with (image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:00
S35	233	S31 and ((input\$5 near4 section with (image)) same (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:10
S36	219	S31 and ((input\$5 near4 section with (image)) same ((scan\$5 or read\$5) with image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:01

S37	129	S35 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:08
S38	0	S37 and (input\$5 with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:08
S39	3	S37 and (document with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:08
S40	2106	S31 and ((input\$5 with (image)) same ((scan\$5 or read\$5) with image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:11
S41	2	S31 and ((input\$5 with (image)) same ((scan\$5 or read\$5) with image) same (version near5 number with document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:19
S42	2	S16 and ((input\$5 with (image)) same ((scan\$5 or read\$5) with image) same (version near5 number with document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:19
S43	0	((input\$5 with (image)) same ((scan\$5 or read\$5) with image) same (version near5 number with document)) and (output\$5 with document with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:20
S44	0	((scan\$5 or read\$5) with image) same (version near5 number with document)) and (output\$5 with document with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:21
S45	2	(input\$5 with (version near5 number with document)) and (output\$5 with document with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:21
S46	8	((version near5 number with document)) and (output\$5 with document with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:22
S47	75	((search\$5 or find\$5 or locat\$5 or input\$5 or enter\$5) with (version near5 number with document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:23

S48	33	S47 and ((output\$5 or print\$5 or display\$5 or show\$5) with document with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:12
S49	0	"6078934".pn. and ((multiple or plural\$5) with version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:13
S50	1	"6078934".pn. and ((stor\$5) with version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:31
S51	1	"6078934".pn. and (print\$5 with request\$5 with (data or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:49
S52	2	"6628412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:49

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	36733	(document with (retriev\$5 or fetch\$5 or download\$5 or access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:44
L5	6475	4 and ((input\$5 or enter\$5) with (password or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L6	2638	4 and ((input\$5 or enter\$5) with (password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:40
L7	4	6 and (approv\$5 with password with (right or correct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L8	1306	4 and ((input\$5 or enter\$5) with document with (password or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L9	1	6 and (approv\$5 with document with password with (right or correct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L10	1	6 and (approv\$5 with document with (code or password) with (right or correct))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:44
L11	1818	remot\$5 with (document with (retriev\$5 or fetch\$5 or download\$5 or access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:15
L12	16	11 and (input\$5 with image with (password or code) with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:02
L13	0	12 and (approv\$5 with (password or code) with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:03
L14	0	12 and (approv\$5 with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:02

L15	108	11 and (approv\$5 with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:02
L16	4	15 and (approv\$5 with (password or code) with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:06
L17	2	11 and (input\$5 with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:07
L18	28	11 and ((scan\$5 or read\$5) with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:15
L19	5975	(network or remot\$5) with (document with (retriev\$5 or fetch\$5 or download\$5 or access\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:15
L20	36	19 and ((scan\$5 or read\$5) with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:17
L21	17	19 and ((receiv\$5) with version with number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:17
L22	3	19 and ((receiv\$5) with version with number with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:17